

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : DR-395

Lake : Twin Lakes

Applicant : North Twin Lake Association  
Floyd Yoder, President  
1790 West 635 North  
Howe, IN 46746-9716

Description : A portion of an existing 10' wide, 210' long channel between North and South Twin Lakes will be restored to its original condition to improve navigability. An area approximately 2' deep and 4' wide of accumulated muck and debris will be removed. The dredging will be limited to the centerline of the channel to avoid potential erosion problems. Also, an abandoned dam base will be removed from the outlet of North Twin Lake. Additionally, 25' of eroded bank on either side of the channel will be armored with riprap. Details of the project are contained in information and plans received at the Division of Water on October 18, 2002.

Location : Beginning approximately 300' upstream of the County Road 650 North crossing at the outlet of North Twin Lake and continuing downstream to the inlet of South Twin Lake  
DOWNSTREAM: near Howe, Lima Township, LaGrange County  
SE¼, SW¼, SW¼, Section 23, T 38N, R 9E, Lagrange Quadrangle  
Quad Code: 4108564  
UTM Coordinates: Downstream 4620575 North, 627790 East  
UPSTREAM:  
UTM Coordinates: Upstream 4620620 North, 627850 East

Statute/Rule : "Ditch" Act, IC 14-26-5

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : DR-396

Lake : Twin Lakes

Applicant : North Twin Lake Association  
Floyd Yoder, President  
1790 West 635 North  
Howe, IN 46746-9716

Description : A portion of an existing 10' wide, 210' long channel between North and South Twin Lakes will be restored to its original condition to improve navigability. An area approximately 2' deep and 4' wide of accumulated muck and debris will be removed. The dredging will be limited to the centerline of the channel to avoid potential erosion problems. Also, an abandoned dam base will be removed from the outlet of North Twin Lake. Additionally, 25' of eroded bank on either side of the channel will be armored with riprap. Details of the project are contained in information and plans received at the Division of Water on October 18, 2002.

Location : Beginning approximately 300' upstream of the County Road 650 North crossing at the outlet of North Twin Lake and continuing downstream to the inlet of South Twin Lake  
DOWNSTREAM: near Howe, Lima Township, LaGrange County  
SE¼, SW¼, SW¼, Section 23, T 38N, R 9E, Lagrange Quadrangle  
Quad Code: 4108564  
UTM Coordinates: Downstream 4620575 North, 627790 East  
UPSTREAM:  
UTM Coordinates: Upstream 4620620 North, 627850 East

Statute/Rule : "Ditch" Act, IC 14-26-5

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22020

Stream : Brooks Creek

Applicant : Jay County Surveyor  
Brad Daniels  
120 Court Street  
Jay County Courthouse  
Portland, IN 47336

Description : A new 250' long channel was constructed connecting the narrow end of a horseshoe bend to bypass the horseshoe and a logjam that blocks the channel within the bend. The upstream 300' of the old channel bend was filled. Also, about 1500' of the west bank was cleared of trees, and the trees were stockpiled. Details of the project are contained in information and plans received at the Division of Water on August 12, 2002, September 4, 2002 and September 24, 2002.

Location : Approximately 1500' upstream of the County Road 74 South stream crossing  
DOWNSTREAM: near Pennville, Knox Township, Jay County  
NW¼, SE¼, Section 1, T 23N, R 12E, Pennville Quadrangle  
Quad Code: 4008542  
UTM Coordinates: Downstream 4481650 North, 658050 East  
UPSTREAM:  
UTM Coordinates: Upstream 4481600 North, 658000 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22099

Stream : Grand Calumet River

Applicant : Elgin, Joliet & Eastern Railroad  
Mark Paull, Project Manager  
1141 Maple Road  
Joliet, IL 60432-1981

Description : The existing, deteriorated 10-span timber bridge carrying the Elgin Joliet and Eastern Railroad over the river will be replaced with a new structure on essentially the same alignment. The new structure will be a 5-span concrete bridge with span lengths of 26', 26', 50' at center, 25' and 25'. The structure will have an out-to-out length of 152' and a clear roadway width of 15'. The spill through abutments will have 2:1 and 3:1 sideslopes armored with 1.1 cubic tons of riprap. The new approaches will not be elevated above the existing approaches. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on September 30, 2002 and October 24, 2002.

Location : At the Elgin Joliet and Eastern Railroad river crossing  
near Gary, Calumet Township, Lake County  
NE¼, NE¼, NW¼, Section 4, T 37N, R 8W, Gary Quadrangle  
Quad Code: 4108753  
UTM Coordinates: Downstream 4606150 North, 470900 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22114

Stream : West Fork White River

Applicant : City of Indianapolis  
Bob Masbaum  
Department of Public Works  
604 North Sherman Drive  
Indianapolis, IN 46201-2563

Description : A 290' x 107', three-million gallon underground storage tank will be constructed on the north (left) bank to collect combined sewer overflows. Construction activities within the floodway will consist of: an approximately 1150' long, 12' wide gravel access drive will be constructed; a temporary earth dam will be constructed across an existing channel; temporary riprap will be placed in the channels and removed following construction; an approximately 335' x 65' siltation pond will be constructed; approximately 1140' of temporary chain link fencing will be installed for construction purposes; approximately 18" of soil will be placed over the tank; the overbank will be graded in order to accomodate the proposed tank. Details of the project are contained in information and plans received at the Division of Water on October 16, 2002.

Location : on the northeast bank, extending approximately 1500' to 1850' downstream (south) of the West New York Street stream crossing  
DOWNSTREAM: at Indianapolis, Center Township, Marion County  
S½, NE¼, SE¼, Section 3, T 15N, R 3E, Indianapolis West Quadrangle  
Quad Code: 3908672  
UTM Coordinates: Downstream 4402350 North, 570150 East  
UPSTREAM:  
UTM Coordinates: Upstream 4402325 North, 570275 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22116

Stream : West Fork White River

Applicant : Indianapolis Museum of Art  
Bret Waller  
1200 West 38th Street  
Indianapolis, IN 46208-4196

Description : Existing spoil piles from previous stockpiling activities have been graded and spread to depths of less than 6" over existing grades. Brushy plants have been removed and mature trees remain at the site. The ground has been mechanically raked and seeded. Details of the project are contained in information and plans received at the Division of Water on October 23, 2002.

Location : Along the left (east) overbank, approximately 500' upstream (north) of the 38th Street river crossing  
near Indianapolis, Washington Township, Marion County  
SE¼, SE¼, SW¼, Section 15, T 16N, R 3E, Indianapolis West Quadrangle  
Quad Code: 3908672  
UTM Coordinates: Downstream 4408635 North, 569310 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22117

Stream : Halls Branch

Applicant : Indiana Department of Transportation  
Carole Korbly Scott  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : Approximately 500' of the stream's eroded east streambank will be stabilized by removal of unstable soil types and replacement with new compacted soil reinforced with Geogrid material types B and C. The soil will be covered with riprap keyed into the toe of the slope over geotextile fabric to protect the bank from further erosion. The new work will conform to the existing bank at the project limits. Details of the project are contained in information and plans received at the Division of Water on October 24, 2002.

Location : Approximately 2000 feet upstream of the confluence with Long Run and extending northwest for 500'  
DOWNSTREAM: near Vevay, Craig Township, Switzerland County  
SE¼, NE¼, NE¼, Section 17, T 2N, R 3W, Vevay North, IN-KY Quadrangle  
Quad Code: 3808571  
UTM Coordinates: Downstream 4291293 North, 663344 East  
UPSTREAM:  
UTM Coordinates: Upstream 4291348 North, 663323 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22119

Stream : Crooked Creek

Applicant : Johnson County Board of Commissioners  
Joseph E DeHart, Chairman  
86 West Court Street, Courthouse Annex  
Franklin, IN 46131-2388

Description : The existing 14' x 0' x 8'-9" multi-plate pipe arch culvert carrying County Road 500 West over Crooked Creek was washed out during spring flood and required emergency replacement. The replacement structure is a twin 10' x 8' reinforced concrete box placed side by side and 56' in length. The concrete boxes are skewed 27 degrees left with upstream and downstream inverts of 754.68', NGVD and 754.12', NGVD respectively. Concrete headwalls and wingwalls were constructed on both the upstream and downstream ends of the concrete boxes. The limits of the channel work extended 50' upstream and 50' downstream. Riprap has been placed over geotextile or mulched seeding at both ends of the culvert for erosion control. Existing guardrail was removed and replaced. The new approach roads will be elevated 1.15' above the existing approaches. Right-of-way easements were obtained during the construction of the project. The existing culvert was removed. Details of the project are contained in information and plans received at the Division of Water on October 25, 2002 and October 29, 2002.

Location : At County Road 500 West stream crossing  
DOWNSTREAM: near Bargersville, White River Township, Johnson County  
SW<sup>1</sup>/<sub>4</sub>, NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Section 27, T 13N, R 3E, Bargersville Quadrangle  
Quad Code: 3908652  
UTM Coordinates: Downstream 4376595 North, 569040 East  
UPSTREAM:  
UTM Coordinates: Upstream 4376595 North, 569040 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19350

Lake : Dallas Lake

Applicant : Larry and Gail Simon  
306 West Main Street  
Berne, IN 46711-1436

Description : A concrete seawall will be constructed across 106' of the applicant's 106' frontage. The straight seawall will be connected to existing seawall on the adjacent property to the north. Details of the project are contained in information and plans received at the Division of Water on October 8, 2002 and October 26, 2002.

Location : 560 East 635 South  
near Wolcottville, Johnson Township, LaGrange County  
NW¼, SW¼, NE¼, Section 30, T 36N, R 10E, Oliver Lake Quadrangle  
Quad Code: 4108554  
UTM Coordinates: Downstream 4601092 North, 632328 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19351

Lake : Sylvan Lake

Applicant : Ann Fordeck  
9717 Newburg Highway  
Tecumseh, MI 49286-9754

Description : An existing concrete seawall will be refaced with a layer of concrete across 61' of the applicant's property. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on October 11, 2002 and October 22, 2002.

Location : 680 Lakeside Drive  
near Rome City, Orange Township, Noble County  
NE¼, SE¼, NE¼, Section 16, T 35N, R 10E, Kendallville Quadrangle  
Quad Code: 4108543  
UTM Coordinates: Downstream 4594400 North, 636275 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19355

Lake : Messick Lake

Applicant : Indiana Department of Natural Resources  
Division of Fish and Wildlife  
Glen Salmon  
402 West Washington Street, Room W273  
Indianapolis, IN 46204-2781

Description : An existing concrete boat ramp will be replaced with a new 15' x 64' concrete boat ramp along 15' of the applicant's 50' frontage. The new ramp will extend approximately 32' lakeward of the lake's legal shoreline. A 5' x 5' mooring area will be constructed adjacent to the north side of the ramp by placing a uniform 6" layer of pea gravel on the lakebed. A glacial stone seawall will be constructed across 11' of the applicant's frontage. Also an accessible transfer pad will be constructed across 12' of the applicant's frontage. The transfer pad will be armored with a steel seawall along it's lakeward side and capped with a layer of concrete. In addition, a 15' x 15' area will be dredged to remove approximately 15 cubic yards of material to allow for better access to the transfer pad. Details of the project are contained in information and plans received at the Division of Water on October 11, 2002 and October 22, 2002.

Location : Messick Lake Public Access  
near Wolcottville, Clearspring Township, LaGrange County  
NW¼, NW¼, NW¼, Section 25, T 36N, R 9E, Oliver Lake Quadrangle  
Quad Code: 4108554  
UTM Coordinates: Downstream 4601495 North, 630011 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19356

Lake : Lake James

Applicant : Kim Weldon  
900 Lane 440 Lake James  
Angola, IN 46703-9805

Description : A concrete seawall will be constructed across 44' of the applicant's 44' frontage. The straight seawall will be connected to existing seawalls on the adjacent properties. Details of the project are contained in information and plans received at the Division of Water on October 15, 2002, October 25, 2002.

Location : 900 Lane 440, Rosedale Addition  
near Angola, Pleasant Township, Steuben County  
NW¼, NW¼, NW¼, Section 4, T 37N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4618248 North, 662572 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19357

Lake : Lake James

Applicant : La Monie M and Jeffrey A Bledsoe  
920 Lane 440 Lake James  
Angola, IN 46703-9093

Description : A concrete seawall will be constructed across 46' of the applicant's 46' frontage. The straight seawall will be connected to existing seawalls on the adjacent properties. Details of the project are contained in information and plans received at the Division of Water on October 15, 2002 and October 22, 2002.

Location : 920 Lane 440  
near Angola, Pleasant Township, Steuben County  
NW¼, NW¼, NW¼, Section 4, T 37N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4618220 North, 662548 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19358

Lake : Lake Wawasee

Applicant : Joe D Stanley  
11418 North Fascination Way  
Cromwell, IN 46732-9655

Description : A glacial stone seawall will be constructed across 51' of the applicant's 111' frontage. Details of the project are contained in information and plans received at the Division of Water on October 15, 2002 and October 18, 2002.

Location : 11418 North Fascination Way, Lots 405 and 406 of Enchanted Hills, Section 1 at Syracuse, Turkey Creek Township, Kosciusko County  
NW¼, NW¼, SW¼, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle  
Quad Code: 4108546  
UTM Coordinates: Downstream 4583899 North, 611066 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19359

Lake : Winona Lake

Applicant : Steve Shaffner  
969 Country Club Lane  
Warsaw, IN 46580-5020

Description : A concrete seawall will be constructed across 80' of the applicant's 80' frontage. A straight seawall will be connected to existing seawalls on the adjacent properties. The existing railroad tie seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on October 15, 2002, and October 25, 2002.

Location : 969 Country Club Lane, Lot 37 and Lot 36 less E 10 feet, Williams Addition to Yarnelle Point  
at Warsaw, Wayne Township, Kosciusko County  
NW¼, NW¼, SW¼, Section 16, T 32N, R 6E, Warsaw Quadrangle  
Quad Code: 4108527  
UTM Coordinates: Downstream 4564335 North, 597092 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19361

Lake : Crooked Lake

Applicant : Michael G and Kathleen Boff  
2695 West Sycamore Beach Road  
Angola, IN 46703-9070

Description : An existing concrete se wall will be refaced with a layer of concrete across 20' of the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on October 16, 2002 and October 22, 2002.

Location : Part of Lot 9, Cedar Side 3695 West Sycamore Beach Road  
near Angola, Pleasant Township, Steuben County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 9, T 37N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4616047 North, 662962 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19363

Lake : Big Chapman Lake

Applicant : Richard ZeBelle  
50 EMS C27C1 Lane  
Warsaw, IN 46582-9063

Description : An existing concrete seawall will be refaced with a layer of concrete across 28' of the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on October 17, 2002 and October 21, 2002.

Location : 50 EMS C27 C1 Lane  
near Warsaw, Plain Township, Kosciusko County  
NE $\frac{1}{4}$ , NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 26, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537  
UTM Coordinates: Downstream 4570843 North, 600397 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19366

Lake : Twin Lakes

Applicant : North Twin Lake Association  
Floyd Yoder, President  
1790 West 635 North  
Howe, IN 46746-9716

Description : A portion of an existing 10' wide, 210' long channel between North and South Twin Lakes will be restored to its original condition to improve navigability. The dredging will be limited to the centerline of the channel to avoid potential erosion problems. An area approximately 2' deep and 4' wide of accumulated muck and debris will be removed. Also, an abandoned dam base will be removed from the outlet of North Twin Lake. Additionally, 25' of eroded bank on either side of the outlet channel will be armored with riprap. Details of the project are contained in information and plans received at the Division of Water on October 18, 2002.

Location : Beginning approximately 300' upstream of the County Road 650 North crossing at the outlet of North Twin Lake and continuing downstream to the inlet of South Twin Lake  
DOWNSTREAM: near Howe, Lima Township, LaGrange County  
SE¼, SW¼, SW¼, Section 23, T 38N, R 9E, Lagrange Quadrangle  
Quad Code: 4108564  
UTM Coordinates: Downstream 4620575 North, 627790 East  
UPSTREAM:  
UTM Coordinates: Upstream 4620620 North, 627850 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11